

VI. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT F (C): 455 (235) (ASTM D-92)
FLAMMABLE LIMITS. LEL: NE UEL: NE
EXTINGUISHING MEDIA: Carbon dioxide, foam, dry chemical and water fog.
SPECIAL FIRE FIGHTING PROCEDURES: Water or foam may cause frothing. Use water to keep fire exposed containers cool. Water spray may be used to flush spills away from exposure. For fires in enclosed areas, firefighters must use self-contained breathing apparatus. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
UNUSUAL FIRE AND EXPLOSION HAZARDS: None.
NFPA HAZARD ID: Health 0 Flammability: 1, Reactivity: 0

VII. REACTIVITY DATA

STABILITY (Thermal, Light, etc.): Stable
CONDITIONS TO AVOID: Extreme heat.
INCOMPATIBILITY (Materials to Avoid): Strong oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide.
HAZARDOUS POLYMERIZATION: Will not occur.

VIII. SPILL OR LEAK PROCEDURE

ENVIRONMENTAL IMPACT: Report spills as required to appropriate authorities. U.S. Coast Guard regulations require immediate reporting of spills that could reach any waterway including intermittent dry creeks. Report spill to Coast Guard toll free number (800) 424-8802. In case of accident or road spill notify CHEMTREC (800) 424-9300.
ENVIRONMENTAL FATE AND EFFECTS: This product meets OECD ready biodegradability criteria and is essentially nontoxic (LC50 with rainbow trout greater than 5,000 ppm). Small spills of unused product on the ground will be readily biodegraded by naturally occurring soil organisms when exposed to air.
PROCEDURES IF MATERIAL IS RELEASED OR SPILLED: Absorb on fire retardant treated sawdust, diatomaceous earth, etc. Shovel up and dispose of at an appropriate waste disposal facility in accordance with current applicable laws and regulations, and product characteristics at time of disposal.
WASTE MANAGEMENT: Product is suitable for burning in an enclosed, controlled burner for fuel value or disposal by supervised incineration. Such burning may be limited pursuant to the Resource Conservation and Recovery Act. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility. Use of these methods is subject to user compliance with applicable laws and regulations and consideration of product characteristics at time of disposal.

IX. SPECIAL PROTECTION INFORMATION

EYE PROTECTION: Normal industrial eye protection practices should be employed.
SKIN PROTECTION: Avoid contact with skin. Good personal hygiene practices should always be followed.
RESPIRATORY PROTECTION: No special requirements under ordinary conditions of use and with adequate ventilation.
VENTILATION: Use in well ventilated area.

X. SPECIAL PRECAUTIONS

HANDLING: This material is not intended for use in air compressors for breathing applications.

XI. TOXICOLOGICAL DATA ACUTE TOXICOLOGY

ORAL TOXICITY (RATS): Low order acute oral toxicity – Based on testing of similar products and/or the components.

INHALATION TOXICITY (RATS): Mild irritation to nose, throat and respiratory tract. . Based on testing of similar products and/or the components.

EYE IRRITATION (RABBITS): Expected to be moderately irritating. Based on testing of similar products and/or the components.

SKIN IRRITATION (RABBITS): Mild skin irritation, may cause skin sensitization – Based on testing of similar products and/or the components.

SIGNS and SYMPTOMS: Irritation as noted. Skin sensitization (allergy) may be evidenced by rashes, especially hives.

XII. REGULATORY INFORMATION

GOVERNMENTAL INVENTORY STATUS: All components registered in accordance with TSCA.
Transport Information:

DOT:

Shipping Name: Not applicable

Hazard Class: Not applicable

US OSHA HAZARD COMMUNICATION STANDARD: Product assessed in accordance with OSHA 29 CFR 1910.1200 and determined not to be hazardous.

RCRA INFORMATION: The unused product, in our opinion, is not specifically listed by the EPA as hazardous waste (40 CFR, Part 261D), nor is it formulated to contain materials which are listed hazardous wastes. It does not exhibit the hazardous characteristics of ignitability, corrosivity, or reactivity and is not formulated with contaminants as determined by the Toxicity Characteristic Leaching Procedures (TCLP). However, used product may be regulated.

U.S. Superfund Amendments and Reauthorization Act (SARA) Title III: This product contains no “EXTREMELY HAZARDOUS SUBSTANCES.”

SARA (311/312 – FORMERLY 302) REPORTABLE HAZARD CATEGORIES: None

This product contains no chemicals reportable under SARA (313) toxic release program.

Filename: MSDS-3MAW.doc
Directory: C:\Documents and Settings\kmiller\Desktop\MSDS
Template: C:\Documents and Settings\kmiller\Application
Data\Microsoft\Templates\Normal.dot
Title: COPELAND 3MA LUBRICANT (32 cst)
Subject: MATERIAL SAFETY DATA BULLETIN
Author: mdsander; wrfinkenstadt
Keywords: 3MA, MMMAPOE, POE
Comments: Name Change from MMMAPOE to Copeland 3MA lubricant
(2/25/99)
Creation Date: 3/28/2003 1:41:00 PM
Change Number: 2
Last Saved On: 3/28/2003 1:41:00 PM
Last Saved By: Erik Delp
Total Editing Time: 0 Minutes
Last Printed On: 2/22/2006 8:53:00 AM
As of Last Complete Printing
Number of Pages: 4
Number of Words: 1,285 (approx.)
Number of Characters: 6,916 (approx.)